### CUSTOMER ASSISTANCE GUIDE BUILDING PERMIT APPLICATION SUBMITTAL REQUIREMENTS

### SINGLE FAMILY DWELLING (OTHER THAN MANUFACTURED OR INDUSTRIALIZED HOUSING)

The following is a check list. You must have a "checkmark" in all the sections listed below prior to

- Please read all of the following information.
- submitting your application. "Affidavit of Exemption" (See attached form) If you are hiring a contractor to construct your dwelling, and they have workers' compensation, have the contractor or their insurance carrier provide us with a "Certificate of Insurance" showing proof of such. If the homeowner or a contractor without workers' compensation is constructing the dwelling, the attached form must be completed and notarized. Sewer permit if applicable. \_\_\_\_\_ Septic permit if applicable. A site plan showing the outside dimensions of the proposed dwelling, including distances in feet to the front, sides and rear property lines. Two (2) sets of complete construction documents that **show in detail** code compliance for all of the work proposed to include **but not limited to** the following information: Home buyer must be given the option to have an automatic fire sprinkler system installed. If buyer chooses not to install sprinklers a detail of the basement floor ceiling assembly must be submitted. (first floor joist size, species and grade of wood) Floor plan showing sizes of all rooms. \_\_ Footing detail including depth below frost line, thickness, width, and rebar. \_\_\_\_ Type of foundation, showing type of masonry, waterproofing and anchorage of home to foundation. Roof rafter size – species and grade of wood. Rafter spacing (16" on center, 24" on center, etc). \_\_\_\_ Thickness and type of roof sheathing. \_\_\_ Ceiling joist size and spacing. \_\_\_\_ Floor joist size and spacing. \_\_\_\_ Wall sections showing top and bottom plates and headers. Location and size of all beams. \_\_\_\_ Sizes of all doors. Window type – including sizes and the net clear opening dimensions of all sleeping room windows (emergency egress). \_\_\_ Smoke alarms and carbon monoxide alarms - number and placement. Insulation – U - Values for windows, R – Values for exterior walls, attic and foundation. \_\_\_\_ Heating Plans with Calculations Plumbing Plans with Riser Diagram \_\_\_\_ Electrical Plans Stairs (riser height maximum 8 1/4" tread depth minimum 9")

MDIA will review plans submitted to determine code compliance. If the minimum submittal requirements are not met, we will ask the applicant to supply additional information. If the minimum requirements are met, the plans will be stamped "approved". A building permit will be issued and the applicant will be notified of the inspection fees and when they can pick-up the permit at the Municipal Building. All fees shall be paid prior to the issuance of the permit. Then use the inspection procedures provided to have all the required inspections performed.

Stairs – handrail (height from nose of thread min 34" max 38")
Guardrail (34" minimum measured vertically from nose of thread)

\_\_ Location and size of basement emergency escape opening.

\_ Wall bracing detail (material, length and fastening).

Completed building permit application.

Width of stairs (36" minimum)

### INSPECTION PROCEDURES SINGLE FAMILY DWELLING

- Building permit must be posted on the site of the work and clearly visible from the road until completion of the project.
- Your approved plans must be available at time of the inspection. These are the plans that
  were submitted with your application and were marked "Approved" by the building inspection
  agency.
- DO NOT schedule an inspection if the work is not ready!!!!
- When scheduling an inspection, you must supply your permit number to the inspector.

### PLEASE GIVE THREE (3) WORKING DAYS ADVANCE NOTICE FOOTING INSPECTION WILL BE GIVEN PRIORITY MIDDLE DEPARTMENT INSPECTION AGENCY, INC.

1. Footing inspection – To be done after forming and prior to placing of concrete.

Inspector: Patrick Duffy Phone: 1-800-922-6342

2. Foundation inspection – French drain and water-proofing prior to backfilling.

Inspector: Patrick Duffy Phone: 1-800-922-6342

3. Plumbing under slab (rough-in) done prior to placing concrete floor.

Inspector: Patrick Duffy Phone: 1-800-922-6342

4. Electrical – Rough-in to be done prior to insulating.

Inspector: Keith Reiser Phone: 1-800-608-6342

5. Framing inspection – Done prior to insulating, but after heating, plumbing and wiring are roughed in, and prior to any exterior finishes being applied.

Inspector: Patrick Duffy Phone: 1-800-922-6342

6. Energy conservation.

Inspector: Patrick Duffy Phone: 1-800-922-6342

7. Wallboard. Only needed if there is an integral or attached garage.

Inspector: Patrick Duffy Phone: 1-800-922-6342

8. Final Electrical – When job is completely finished.

Inspector: Keith Reiser Phone: 1-800-608-6342

9. Final inspection – When job is completely finished, prior to occupancy permit and after

plumbing, mechanical and electrical.

Inspector: Patrick Duffy Phone: 1-800-922-6342

BEFORE DIGGING CALL 811 - SEE ATTACHED BROCHURE

#### **THIS FORM REQUIRES A NOTARY SEAL**

#### **AFFIDAVIT OF EXEMPTION**

rkers' Compensation Law for one of the following reasons, as
ming own work. If property owner does hire contractor to perform building permit, contractor must provide proof of workers' ce to the municipality. Homeowner assumes liability for with this requirement.
oloyees. Contractor prohibited by law from employing any ork pursuant to this building permit unless contractor provides ne municipality.
nder the Workers' Compensation Law. All employees of from workers' compensation insurance (attach copies of religious employees).
_
_
Subscribed, sworn to and acknowledged before me by the above this Day of
Notary Public

Safe digging is no accidenti

below. Know what's

before you dig. Dial 8-1-1





RED THE PIX PURPLE BLUE ORANGE Sewers and Drain Lines Reclaimed Water, Impation and Slumy Lines Communication, Atarm or Signal Lines, Cables or Conduit and Traffic Loops Gas, Oil, Steam, Petroleum or Gaseous Materials, Hazardous Materials Electric Power Lines, Cables, Conduit and Lighting Cables Proposed Excavation Potable Water Temporary Survey Markings

TEMPORARY MARKING GUIDELINES

The following information is needed when you call PA One Call System.

YOUR TELEPHONE NUMBER
YOUR MAILING ADDRESS

COUNTY - The name of the county where the work will MUNICIPALITY - City, Township or Borough where the

WORK WILL ENG PLACE
THE ADDRESS WHERE THE WORK WILL TAKE PLACE
THE NEAREST INTERSECTING STREET TO THE WORK SITE
THE NUME OF A SECOND INTERSECTION NEAR THE

IS THE PROPOSED EXCAVATION AREA (WORK SITE)
MARKED IN WHITE – Yes or No
OTHER INFORMATION THAT WOULD HELP THE
LOCATOR FIND THE SITE - Clarifying information to

Specify the exact location of the dig THE TYPE OF WORK BEING DONE WHETHER THE WORK WILL TAKE PLACE IN: Street, Sidewalk, Public or Private Property THE APPROXIMATE DEPTH YOU ARE DIGGING THE EXTENT OF THE EXCAVATION - The approximate size of the opening; the length and width or dismeter THE METHOD OF EXCAVATION - How will the earth be

WHO IS THE WORK BEING DONE FOR PERSON TO CONTACT IF THE UTILITIES HAVE QUESTIONS

responses from the fecility owners will be sent to you SCHEDULED EXCAVATION DATE AND START TIME ~ not less than 3 business days or more than 10 phone number with area code for daytime contact THE BEST TIME TO CALL FAX NUMBER AND/OR EMAIL ADDRESS - The

DURATION OF A JOB - How long will the job take ANY ADDITIONAL REMARKS YOU MAY HAVE

You will be given a 10 digit serial number as confirmation of your call and our system will send you the responsed from the utilities on the morning of your scheduled excevation date via fax or email



# What do we do?

We are the "Call before you dig!" company for all of Pennsylvania. If you plan to disturb the earth with powered equipment, you are required by Pennsylvania law to notify the underground utility companies of your intent to do so. Notification occurs by calling 8-1-1 or 1-800-242-1776, 24 hours of the day, every day of the year. Notification can also be done on our website at www.paonecall.org.

We will then notify the utility companies nearby of your intent to dig. The utility companies are responsible to mark where their underground lines are located with colored flags, paint or chalk.

### Solvesse

- PA One Call does not mark utility lines.
- on some eases, the utility company may not mark the service lines you swo.
- IT JOE (1999 JOE) SOME:

  ITAIN A SERVICE SO SESSIONE

  OF SERVICE (OF SERVICE)

  ITAIN A SERVICE (OF SERVICE)

## Why should you call?

Safe digging is no accident! If you are installing a fence or deck, or digging for a mailbox post, patio or other excavation project, it is important to Know What's Below. Dial 8-1-1 or 1-800-242-1776 before you dig. The utility companies do not want an accident, either. The best way to learn where underground utility lines are located is to call before you dig.

For more information, visit www.pa811.org



## Homeowner Quick Tips

- One easy phone call to 8-1-1 three to ten business days before digging begins helps keep your neighborhood safe.
- Call on Monday or Tuesday if you plan to dig on Saturday or Sunday
- The utility companies will mark where their underground lines are located with colored paint, flags or chalk.
- Do not remove the flags if you see them in your yard.
- Our service is no cost to homeowners.
- Did you hire someone to install your fence, deck or new patio?
  Ask to see the PA One Call serial number before allowing them to dig on your property.

# The Excavator's Responsibility

- Dial 8-1-1 or 1-800-242-1776.
- Do not allow anyone to excavate on your property without calling.
   Always look for the markings on
- the ground before your dig date.

   If you do not see markings, do not allow anyone to dig. Wait for the lines to be marked by the utility.
- Whoever places the call will receive an email or fax with a list of facility owners who have marked or have not marked.
   Pay attention to this message.
- Respect the markings by not removing flags or disturbing the actual markings.
- Exercise sare around the marked lines by hand digging.
- When the project is complete
  the excevator should remove the
  tags or marks from the ground
  or payement.
- Report mishage by dialing 3:1-10 Report emergencies by dialing 3:1-10